The leader in rugged, fiber optic technology

DATA SHEET

www.fiberopticlink.com

DS-M081 2022-08-02

Semi-Buried Pedestal (Type-02)

Small Footprint, Semi-Buried Pedestal

The RLH Type-02 pedestal is a small footprint, Semi-Buried Pedestal. It includes a plywood backboard, lockable covers with hex head self-locking system, and a padlock hasp. The pedestal base is approximately W14" x D16" and stands approximately 36" tall when installed. No mounting stakes or platforms are required. Pedestals are constructed of all-dielectric plastic.

RLH Pedestal Telco Units may now be customized for your particular application through our factory modification program.

Key Features

- All-dielectric construction
- Semi-buried base, no mounting stakes required
- Fire treated and painted ¾" plywood backboard
- Self-locking cover with hex head release
- Padlock locking hasp
- Frame-mounted ground bar
- Oversize interlocking base for solid foundation
- Heat dissipation vents for sensitive equipment
- Slim, unobtrusive design has minimum visual impact
- Removable cover permits 360° access to equipment
- Available with terminal options
- Made in USA



Semi-Buried Pedestal (Type-02)



Open Front

Ordering Information

Description	Housing	Part Number
H48" x W12" x L12" with ¾" Fire Retardant Plywood Backboard	Empty Backboard	8806-1285-02

The leader in rugged, fiber optic technology

DATA SHEET


www.fiberopticlink.com

Key Specifications

Construction:	All-dielectric molded plastic with metal backboard frame and locking hasp		
Mounting Style:	Semi-buried, approx. 36" above grade		
Included:	Plywood backboard – 11.25" (W) x 29" (H), integrated ground bar		
Options:	Fiber connectivity and cable accessories		
Size:	16" (W) x 14" (L) x 48" (H), (407mm x 356mm x 1220mm) *Unburied		







Contact

By Mail:	936 N. Mair	Att: Sales RLH Industries, Inc. 936 N. Main St. Orange, CA 92867	
By Phone: Sales / Service Mon - Fri, 6am - 6pm, PST	Local Toll Free	714-532-1672 800-877-1672 866-DO-FIBER	
By Email:	info@fibero	info@fiberopticlink.com	
By FAX:	714-532-188	714-532-1885	

Tech Support

By Email:	support@fib	support@fiberopticlink.com	
By Phone:	Toll Free	855-754-2497	
•		855-RLH-24X7	